

PYLE®



view

5.6" TFT-LCD SUN VISOR
SCREEN MONITOR



PLVSMN56

1. SPECIFICATION


* VIDEO

- SCREEN SIZE ----- 5.6" DIAGONAL
- RESOLUTION -----960(H) x 234(V)
- COLOR CONFIGURATION ----- RGB Stripe
- DOT PITCH ----- 0.500(H) x 0.500(V)
- VIEWING ANGLE ----- 70° (H) x 40° (V)
- COLOR SYSTEM ----- NTSC
- BRIGHTNESS-----200 CD/M₂

* ELECTRICAL

- VIDEO INPUT ----- 1 V_{p-p}, 75ohms
- POWER CONSUMPTION ----- DC12V 7W MAX.
- AUDIO OUTPUT POWER-----1W(MAX)

2. FUNCTION KEYS AT FRONT PANEL:



Function Descriptions:

- * Power : Press the "POWER" button from the main unit to turn on the monitor.
- * Menu: Press the MENU from the main unit to pop up the OSD functions by turns.
- * Up/Down: Press UP or DOWN directly is to adjust volume.
Using MENU button together can adjust the other functions.
- * Mute: Shut off sound.

OSD Menu:

Main Menu

Press the "MENU" from the main unit to pop up the functions.

Each mode will process by turns, you may use.

▲ / ▼ together to increase or decrease parameters as well.

BRIGHTNESS



COLOR



CONTRAST




TINT




Default No Yes

3. FUNCTION



4. DIMENSION



5. SUN VISOR KIT

